


250-17.

MAY 5 1927

"They Keep a-Running"



Century

9 inch Alternating Current
Stationary Fans



Century 9-in. Stationary Alternating Current Fans are recommended for the home, for small offices and for similar service where air movement is the chief requirement. They are Century built throughout and include every vital detail of Century construction that is essential to the

movement of air. Their all-round satisfaction and "Keep-a-Running" ability result chiefly from the following features:—

Large Volume of Air Moved

Operating quietly, they move approximately 525 cu. ft. of air per minute (50 and 60 cycles) the largest volume of air consistent with quiet operation. The blades are unusual in shape, width and angle and are designed to distribute or "spread" the air evenly over a large area.

Economical to Operate

Their first cost is low, particularly for a fan with the Century reputation. In addition, the cost of operation is almost negligible... these fans operate steadily for 10 hours at a cost of approximately 3½ cents. This is equivalent to operating all night, every night in the week, for less than 25 cents.

Easily Handled and Controlled

Century 9-in. Stationary Fans weigh only 9 lbs.—the lightest weight con-



Blade assembly showing sharp curve at the center.

Fan stand with guard wires and blades removed.

“ T H E Y K E E P A - R U N N I N G ”

" T H E Y K E E P A - R U N N I N G "

sistent with stability. They are provided with a handle for easy carrying and can be moved about the home by a child. They can be arranged for wall mounting without extra parts and

may be tilted up or down to a desired position. There is a convenient switch in the base for starting and stopping and the bottom of the fan is provided with rubber cushion knobs.

Lifetime Service

Century fans "Keep a-Running" indefinitely

- 1** Fan stand is of pressed steel—light, durable, substantial.
- 2** Fan guards are of heavy steel wire, and are strengthened by wrapping them around the guard frame and electrically welding them at each joint and point of contact. Guard arms are especially strong and rigid.
- 3** Blades are of solid brass, brass riveted to a brass spider. They are non-rusting and easily cleaned.
- 4** There are no moving wires in the fan motor.
- 5** Motor is fully enclosed, excluding dust, dirt and moisture from its vital parts.
- 6** Bearings are made from phosphor bronze castings, the best bearing material obtainable.
- 7** Positive lubrication and thorough distribution of oil is assured by oil grooves cut in the bearing. Oilers are easily accessible.
- 8** Positive contact of brass channel-section switch arm is assured by flat steel spring.

Appearance

Century fans follow symmetrical lines, their rich velvety finish being in contrast with their solid brass blades—truly a pleasing addition to any home or office.

CENTURY ELECTRIC COMPANY
1806 PINE STREET ~ ST. LOUIS, MO.



Showing how guard wires are assembled.



Illustrating upper section of motor body showing guard arm supports and handle for easy carrying.



1-speed fan base illustrating switch and positive contact feature.

9-IN. ALTERNATING CURRENT STATIONARY FANS

Century



Sales Offices *and* Stock Points

ATLANTA, GA.	LOS ANGELES, CAL.
BOSTON, MASS.	MEMPHIS, TENN.
CHARLOTTE, N. C.	MILWAUKEE, WIS.
CHICAGO, ILL.	MINNEAPOLIS, MINN.
CINCINNATI, OHIO	NEW ORLEANS, LA.
CLEVELAND, OHIO	NEW YORK, N. Y.
DALLAS, TEXAS	PHILADELPHIA, PA.
DAVENPORT, IOWA	PITTSBURGH, PA.
DENVER, COLO.	PORTLAND, OREGON
DES MOINES, IOWA	ROCHESTER, N. Y.
DETROIT, MICH.	ST. LOUIS, MO.
HOUSTON, TEXAS	SALT LAKE CITY, UTAH
INDIANAPOLIS, IND.	SAN FRANCISCO, CAL.
JACKSONVILLE, FLA.	SEATTLE, WASH.
KANSAS CITY, MO.	SPOKANE, WASH.

MONTREAL, QUE.	VANCOUVER, B. C.
TORONTO, ONT.	WINNIPEG, MAN.

*and more than 50 other points
outside the United States.*

The Complete *Century* Fan Line Includes:

PORTABLE . . . 9-inch, 12-inch and 16-inch oscillating 3-speed. Induction-type A. C. and series-wound D. C.

PORTABLE . . . 9-inch oscillating, single-speed, with switch in base. Induction-type A. C.

PORTABLE . . . 9-inch stationary, single-speed with switch in base. Induction-type A. C.

CEILING . . . 58-inch sweep, 4-blade, 3-speed, Induction-type A. C. and series-wound D. C.

VENTILATOR . 16-inch, 3-speed, Induction-type A. C. and series-wound D. C.